

# DIAMOND PRO 3-3576

## INTERACTIVE FLAT PANEL

Size: 65" / 75" / 86" / 98"



48MP(AI Camera) & 8 Array Mic



### OPS Features:



### Special Features:

- \* NFC(Near Field Communication)
- \* Split Screen & Parallel Task Support
- \* Upgradable Android Version.
- \* Supports All Language
- \* Built-In WhiteBoard Application
- \* AI Voice Tracking 48mp Camera
- \* Multi Tasking Function

### Technical Specifications:

- ◆ COMPUTE: INTEL DUAL CORE / i3 / i5 / i7
- ◆ RAM: 8GB or ABOVE
- ◆ STORAGE: 256 GB SSD or ABOVE
- ◆ OPERATING SYSTEM: PRE-LOADED WII
- ◆ GRAPHICS: INTEGRATED INT

**Product parameters**
**Diamond Pro 3-3576**

<b>Panel</b>	LCD Size		65" / 75" / 86" / 98"
	Type of Panel		IPS/VA
	Respond Time		8ms
	Visual Ratio		16:9
	Max Visual Area		1428.48 x 803.52 / 1649.664 x 927.936 / 1895.04 x 1065.96
	Resolution		3840 (H) ×2160 (V)
	Pixel pitch		0.4296×0.4296mm
	Frequency		60Hz
	Display Colors		1.07B (10bit)
	Color saturability		72%
	Contrast ration(Typ)		5000:1
	Viewing Angle		178°(H/V)
	Light source		DLED
	Brightness		500 cd/m <sup>2</sup>
	Life Span		>70000 Hrs
<b>Audio-video parameters</b>	Speaker	Soundtrack	N/A
		Power	2 x 20 Watt(65" & 75") & 2 x 25 Watt (86" & 98")
		woofer:	25 Watt(Optional)
<b>Touch parameter</b>	Touch specifications		Non-contact infrared sensing technology
	Support Systems		Windows10/Windows8/Windows7/Windows XP/Android/Linux/Mac OS X/Chrome
	Touch Points		50 Touch
	Min.Identifier		1mm
	Input mode		Opaque object (finger, pen, etc)
	Respond time		≤4ms
	Touch depth		±1mm
	Writing height		≤2mm
	Writing display		Single Stylus pen two-colour
	Output coordinates		32767 (W) ×32767(D)
<b>System</b>	System Version		Android 15.0
	CPU		4*A72+4*A53 (Octa Core 2.2 Ghz)
	GPU		G52 MC3
	RAM		8/16 GB
	ROM		128/256 GB
<b>Wireless</b>	Bluetooth	Version	5.2

## Diamond Pro 3-3576

		Working Frequency	2.4GHz
		Working Distance	0~10m
		Version	802.11ac/b/g/n/a/ax
	Wi-Fi	Working Frequency	2.4GHz/5GHz
		Working Distance	0~10m
<b>I/O Interface</b>	RS232	1	
	MIC IN	1	
	COAX	1	
	LINE OUT	1	
	LAN OUT	1	
	LAN IN	1	
	TOUCH USB	2 (USB 2.0)	
	HDMI IN	2 (ARC*1)	
	HDMI OUT	1	
	DP IN	1	
	TYPE-C IN	1 (65W)	
	TYPE-C OUT	1	
	USB 3.0	2 (PUBLIC)	
	USB 2.0	1(Android)	
	USB OTG	1	
	TF CARD	1	
<b>Front Interface</b>	USB3.0	2	
	TOUCH USB	1(USB2.0)	
	HDMI IN	1(HDMI 2.0)	
	Type C	1	
<b>Power</b>	Voltage	100-240V ~ 50/60Hz 4A	
	Max. power consumption	350W	
	Standby power consumption	≤0.5W	
<b>Structure</b>	Bare dimension	1481 × 887 / 1709 × 1020 / 1950 × 1159 / 2215 × 1333 mm	
	Packing dimension	155.7 × 19.4 × 98.2 / 179.6 × 19.4 × 112.9 / 204.8 × 19.4 × 126.8 / 236 × 30.8 × 144.2 cm	
	Machine+wall mount thickness	118mm	
	VESA hole site	800×400mm	
	Wall mounting screw specifications	M8×25mm	
	Net weight	44 / 58 / 76 KGs	
	Gross weight	51 / 68 / 89 KGs	
<b>Accessories</b>	Power cord	×1	
	Stylus pen	×2	

## Diamond Pro 3-3576

	Wall mount	×1
	Operation manual	×1
<b>Environment</b>	Working temperature	0°C~40°C
	Working humidity	10%~90%RH
	Storage temperature	-20°C~60°C
	Storage humidity	10%~90%RH
	Working Elevation	<5000m

MFD BY:



S-POWER Science & Technology Co. Ltd.  
Address: Via 9 Marzo 3, 52020, Arezzo, ITALY  
E-mail: info@spowerstech.com  
Website: www.spowerstech.com(English)

Dealer: